Basis for Case Unique

- Item is designated as Enhanced (from Figure C8.F1.)
- Interagency release process for sensitive technologies requires Implementing Agency(IA)/ Military Department (MILDEP) post transfer control or Enhanced End Use Monitoring (EEUM) designation as part of the transfer approval
- IA/MILDEP Provides DSCA (Office of International Operations, Global Execution Directorate, Assistance & Monitoring Division (IOPS/GEX/AMD)) & DSCA (Office of International Operations, Weapons Directorate (IOPS/WPN)) a copy of the decision memo of Enhanced case unique article designated as EEUM by higher policy guidance and directives

Document & MASL

- DSCA (IOPS/GEX/AMD), DSCA (IOPS/WPN), and appropriate MILDEP determines if defense article warrants EEUM
- IA/MILDEP determines which Military Articles and Services List (MASL(s)) require EEUM and notifies DSCA (IOPS/GEX/AMD). DSCA (IOPS/GEX/AMD) will update the Defense Security Assistance Management System (DSAMS) accordingly.
 - If a MASL does not exist, the IA/MILDEP is responsible for submitting a MASL worksheet to DSCA (Office of Business Operations, Financial Policy & Regional Execution Directorate, Financial Reporting and Compliance Division (OBO/FPRE/FRC)) for coordination as routine EUM.
- Authorized personnel (DSCA (IOPS/GEX/AMD), DSCA (IOPS/WPN), and selected DSAM users) will update DSAMS to reflect case unique enhanced MASL(s)



- IA/MILDEP Provides DSCA (IOPS/GEX/AMD) Draft Physical Security and Accountability EEUM Note
- IA/MILDEP adds approved physical security and accountability EEUM note during case development.
- If a site certification is required (See Section C8.4.3.), the IA/MILDEP is responsible to ensure there is an appropriate funding line within the Letter of Offer and Acceptance (LOA)
- Ensure the "Limitations of Material Delivery, Training, or Defense Services of Enhanced End Use Monitoring Defense Articles" note is added to the LOA for EEUM designated defense article(s) transferred under Building Partner Capacity (BPC) cases

Case Unique LOA



- IA/MILDEP to draft a DoD Golden Sentry EEUM physical security checklist and provide to DSCA (IOPS/GEX/AMD)
- If site certification is required (See Section C8.4.3.), IA/MILDEP conducts a physical security inspection of partner nations' facilities
- IA/MILDEP to provide Serial Numbers to the dsca.eumhelpdesk@mail.mil prior to transfer

Page | 1